

# Cross Pads

## Threaded Mandrels

Fits Eyelet	P/N	Shank Dia.	Length	Each
PA-3-48	70-0075	1/4"	3"	2.768
PA-8-32	70-0057	1/4"	3"	2.768
PA-1/4-20	70-0060	1/4"	3"	2.768

Length / Width	Grit	P/N	Each
3/4" x 3/8" 8 Ply (3-48 Eyelet) (Max RPM 25,000)	60	66-0140	0.955
3/4" x 3/8" 8 Ply (3-48 Eyelet) (Max RPM 25,000)	80	66-0141	0.955
3/4" x 3/8" 8 Ply (3-48 Eyelet) (Max RPM 25,000)	120	66-0142	0.955

Length / Width	Grit	P/N	Each
1" x 3/8" 8 Ply (3-48 Eyelet) (Max RPM 25,000)	60	66-0143	0.975
1" x 3/8" 8 Ply (3-48 Eyelet) (Max RPM 25,000)	80	66-0144	0.975
1" x 3/8" 8 Ply (3-48 Eyelet) (Max RPM 25,000)	120	66-0145	0.975

Length / Width	Grit	P/N	Each
1-1/2" x 1/2" 8 Ply (8-32 Eyelet) (Max RPM 23,000)	60	66-0146	0.800
1-1/2" x 1/2" 8 Ply (8-32 Eyelet) (Max RPM 23,000)	80	66-0147	0.800
1-1/2" x 1/2" 8 Ply (8-32 Eyelet) (Max RPM 23,000)	120	66-0148	0.800

Length / Width	Grit	P/N	Each
1-1/2" x 1/2" 10 Ply (8-32 Eyelet) (Max RPM 23,000)	60	66-0149	0.906
1-1/2" x 1/2" 10 Ply (8-32 Eyelet) (Max RPM 23,000)	80	66-0150	0.906
1-1/2" x 1/2" 10 Ply (8-32 Eyelet) (Max RPM 23,000)	120	66-0151	0.906

Length / Width	Grit	P/N	Each
2" x 1/2" 8 Ply (8-32 Eyelet) (Max RPM 23,000)	60	66-0152	0.870
2" x 1/2" 8 Ply (8-32 Eyelet) (Max RPM 23,000)	80	66-0153	0.870
2" x 1/2" 8 Ply (8-32 Eyelet) (Max RPM 23,000)	120	66-0154	0.870

Length / Width	Grit	P/N	Each
2" x 1/2" 10 Ply (8-32 Eyelet) (Max RPM 23,000)	60	66-0155	0.939
2" x 1/2" 10 Ply (8-32 Eyelet) (Max RPM 23,000)	80	66-0156	0.939
2" x 1/2" 10 Ply (8-32 Eyelet) (Max RPM 23,000)	120	66-0157	0.939

Length / Width	Grit	P/N	Each
2" x 3/4" 8 Ply (8-32 Eyelet) (Max RPM 23,000)	60	66-0158	0.939
2" x 3/4" 8 Ply (8-32 Eyelet) (Max RPM 23,000)	80	66-0159	0.939
2" x 3/4" 8 Ply (8-32 Eyelet) (Max RPM 23,000)	120	66-0160	0.939

Length / Width	Grit	P/N	Each
2" x 1" 8 Ply (1/4-20 Eyelet) (Max RPM 23,000)	60	66-0161	0.975
2" x 1" 8 Ply (1/4-20 Eyelet) (Max RPM 23,000)	80	66-0162	0.975
2" x 1" 8 Ply (1/4-20 Eyelet) (Max RPM 23,000)	120	66-0163	0.975

Length / Width	Grit	P/N	Each
2" x 1" 10 Ply (1/4-20 Eyelet) (Max RPM 23,000)	60	66-0164	1.117
2" x 1" 10 Ply (1/4-20 Eyelet) (Max RPM 23,000)	80	66-0165	1.117
2" x 1" 10 Ply (1/4-20 Eyelet) (Max RPM 23,000)	120	66-0166	1.117

Length / Width	Grit	P/N	Each
2-1/2" x 3/4" 8 Ply (8-32 Eyelet) (Max RPM 18,000)	60	66-0167	1.071
2-1/2" x 3/4" 8 Ply (8-32 Eyelet) (Max RPM 18,000)	80	66-0168	1.071
2-1/2" x 3/4" 8 Ply (8-32 Eyelet) (Max RPM 18,000)	120	66-0169	1.071

Length / Width	Grit	P/N	Each
3" x 1" 8 Ply (1/4-20 Eyelet) (Max RPM 14,000)	60	66-0170	1.529
3" x 1" 8 Ply (1/4-20 Eyelet) (Max RPM 14,000)	80	66-0171	1.529
3" x 1" 8 Ply (1/4-20 Eyelet) (Max RPM 14,000)	120	66-0172	1.529

Length / Width	Grit	P/N	Each
----------------	------	-----	------

3" x 1" 10 Ply (1/4-20 Eyelet) (Max RPM 14,000)	60	66-0173	1.744
3" x 1" 10 Ply (1/4-20 Eyelet) (Max RPM 14,000)	80	66-0174	1.744
3" x 1" 10 Ply (1/4-20 Eyelet) (Max RPM 14,000)	120	66-0175	1.744

Length / Width	Grit	P/N	Each
4" x 1" 8 Ply (1/4-20 Eyelet) (Max RPM 12,000)	60	66-0176	2.119
4" x 1" 8 Ply (1/4-20 Eyelet) (Max RPM 12,000)	80	66-0177	2.119
4" x 1" 8 Ply (1/4-20 Eyelet) (Max RPM 12,000)	120	66-0178	2.119

Length / Width	Grit	P/N	Each
4" x 1" 10 Ply (1/4-20 Eyelet) (Max RPM 12,000)	60	66-0179	2.415
4" x 1" 10 Ply (1/4-20 Eyelet) (Max RPM 12,000)	80	66-0180	2.415
4" x 1" 10 Ply (1/4-20 Eyelet) (Max RPM 12,000)	120	66-0181	2.415

Length / Width	Grit	P/N	Each
4 1/2" x 1-1/2" 8 Ply (1/4-20 Eyelet) (Max RPM 12,000)	60	66-0182	2.709
4 1/2" x 1-1/2" 8 Ply (1/4-20 Eyelet) (Max RPM 12,000)	80	66-0183	2.709
4 1/2" x 1-1/2" 8 Ply (1/4-20 Eyelet) (Max RPM 12,000)	120	66-0184	2.709

Length / Width	Grit	P/N	Each
5" x 1-1/2" 8 Ply (1/4-20 Eyelet) (Max RPM 7,500)	60	66-0185	2.828
5" x 1-1/2" 8 Ply (1/4-20 Eyelet) (Max RPM 7,500)	80	66-0186	2.828
5" x 1-1/2" 8 Ply (1/4-20 Eyelet) (Max RPM 7,500)	120	66-0187	2.828

Length / Width	Grit	P/N	Each
6" x 1-1/2" 8 Ply (1/4-20 Eyelet) (Max RPM 7,500)	60	66-0188	3.654
6" x 1-1/2" 8 Ply (1/4-20 Eyelet) (Max RPM 7,500)	80	66-0189	3.654
6" x 1-1/2" 8 Ply (1/4-20 Eyelet) (Max RPM 7,500)	120	66-0190	3.654